Sr. No.	Name of Institute	**Deficiencies / short comings pointed out by AICTE at the time of granting the extension of approval for the session 2005-06.**
1	Apeejay College of Engg., Village Silani (Palwal-Sohna Road) Sohna, Distt Gurgaon (Haryana). (438)	**Faculty :** • Faculty, should be provided for additional course and proof be sent. • In computer Science 21 faculty members are available against 34 required. • Senior level faculty as per AICTE norms not available. • Most of the faculty is fresh and inexperienced. • Asstt. Prof. Not having relevant experience. • 22 faculty members are having an experience of less than 6 month in the institution, faculty satiability needs to be improved. • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and incoming batch of students. **Building space** : Space for additional course should be provided. **Laboratory :** Laboratory should be provided for additional course. **Library facilities** : Books and journals in library needs to be needed as per AICTE norms. **Computer :** Computer for additional course should be provided. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

2	Al-Falah School of Engineering & Technology, Village Dhauj, District Faridabad (Haryana).	**Faculty :** • In Computer Science and Engineeing 8 Faculty is available 12, where as in Ec. 9 are available against 12. • Senior level faculty with proper cadre ratio, requisite qualification and experience to be appointed in all disciplines as per AICTE norms. • The specialization / subject of the lecture are not mentioned. • Date of appointment of faculty are not mentioned. • AICTE pay scale have not been implemented. **Student interaction :** No interaction of the experts with the students during the visit has been viewed seriously by the council. **Placement :** No clear details about placement has been provided. **Built up space :** Built up space for workshop and laboratories is short. **Labs & equipment :** The facilities in the labs and workshop needs to be enhanced. **Hostel facilities :** No hostel facilities available for the students. The aproach road needs improvement. **Admission** in EEE are very low, needs to be improved. **Note :** Additional intake / new courses / PIO quota not granted on account of deficiencies in respect of running existing courses / intake. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

3	Ambala College of Engg. & Applied Research, Akbarpur P.O. Bihta Distt. Ambala (Haryana)-	**Director / Head of the institution :** The Director of the institution is over age, required to be appointed with requisite qualification and experience. **Faculty :** • Faculty stability needs to be improved, most of the faculty members are having experience less than 6 months in the institutions. • Faculty with proper cadre ratio to be appointed in all disciplines. **Lab facilities :** • Library facilities for mechanical Engg. to be provided. **Note :** Additional intake / new courses / PIO quota not granted on account of deficiencies in respect of running existing courses / intake. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

4	Anupma College of Engg., Gurgaon	**Faculty :** • Faculty with proper cadre ratio (1:2:4) with requisite qualification and experience to be appointed as per AICTE norms. • In instrumentation and control 3 faculty members are available against 6 required. **Pay scale :** AICTE pay scales not implemented for all faculty members. **Student interaction :** No interaction of the expert committee with the students, during the visit and has been viewed seriously by the counsel. **Building :** Construction activity under progress needs to be completed at the earliest. **Laboratory facilities :** Labs to be equipped with requisite equipment as per university syllabus. **Library facilities :** Books and journals to be added in the library as per AICTE norms. **Note :** Additional intake / new courses / PIO quota not granted on account of deficiencies in respect of running existing courses / intake. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

5	Bhagwan Parshuram College of Engg. Bali Barahaman an, Gohana	**Faculty :** • Senor level faculty is not available as per AICTE norms. • Faculty with proper cadre ratio (1:2:4) with requisite qualification and experience to be appointed as per AICTE norms for existing and incoming batch of students for all disciplines. Computer facilities : No internet facilities are available in the college. Workshop : Major part of the building including workshops is yet to be completed. The should be completed at the earliest. Others :Land development is yet to be taken up. 2. Infrastructure for extra curricular activities is yet to be developed. No interaction with students has been viewed seriously by AICTE. **Note :** Additional intake / new courses / PIO quota not granted on account of deficiencies in respect of running existing courses / intake. Council has decided to undertake inspection at any time after 14.8.05, a compliance report in respect of rectification of deficiencies as above must be sent to the council with a copy to RO before 31.8.05. In the absence, extension of approval for 2006-07 may not be considered.

6	Bhagwan Mahavir Institute of Engineering & Technology ,Sonipat.-Bahalgarh Road (Behind Fazilpur Power House) Sonepat-131001 (Haryana).	Faculty : • Faculty with proper cadre ratio (1:2:4) with requisite qualification and experience to be appointed as per AICTE norms for existing and incoming batch of students for all disciplines. • Most of the faculty (24 out of 41) are unstable having experience of less than 6 months. • No Professor in Ec. & I&C as per AICTE qualification, no Ph.D faculty. • In CSE & IT 21 out of 28 and Ec. 21Out of 24 are available. **Pay scale :** Pay scale not implemented as per AICTE norms. Placement :Placement facility needs tos be upgraded (17% presently) **Student interaction :**No interaction with the students in the pretext of vacation has been viewed seriously by the council, also, due to which the various complaints made by the students / parents against the institution could not be verified. Library : No library networking facilities. No detailes about library uses has been provided. **Workshop :** Workshop facilities and lab facilties needs to be strengthened. **Note :** Additional intake / new courses / PIO quota not granted on account of deficiencies in respect of running existing courses / intake. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

7	B.S. Anangpuria Institute of Technology & Managemen t, Alampur, Ballabgarh Sohna Road, Fardiabad.	**Faculty :** • Adequate senior faculty is not available. • Faculty with proper cadre ratio (1:2:4) with requisite qualification and experience to be appointed as per AICTE norms for existing and incoming batch of students for all disciplines. • Computer Sc. & Engg. / IT, 31 out of 38 faculty is available. **Pay scale :**Pay scale not implemented as per AICTE norms. **Library :** • Library books deficient by 14. • Journals deficient by 18%. • Library budget only 2 %, needs to be impoved. • Library computerization needed. Computer facilities : • 15 printers needed, • 50 P-III Computers to be upgraded. • CD based system needed. **Laboratory :** Lab Assistant at list 5 needed, industrial interaction for the students to be improved. **Additional Course / Increase in intake :** the required faculty, space, library, computer, laboratory, books and journals etc. should be provided and proof be sent to AICTE. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

8	B.R.C.M.College of Engineering & Technology, Village Behal-127028 (Bhiwani) (Haryana).	Faculty : • Faculty with proper cadre ratio (1:2:4) with requisite qualification and experience to be appointed as per AICTE norms for existing and incoming batch of students for all disciplines. • Senior faculty is not available as per AICTE norms. • Not a single Ph.D Prof. In Ec., EE, CSE & IT. • 13 Faculty members are available in CSE & IT against 24 required. **Placement :** Placement not satisfactory. **Academic performance :** Academic performance needs improvement. **Note :** Additional intake / new courses / PIO quota not granted on account of deficiencies in respect of running existing courses / intake. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

9	Bhiwani Institute of Technology and Science, Khara Khari, Bye Pass Bhiwani, Haryana.	Faculty : • Director / Head of Institution is not qualified as per AicTE norms. Director with requisite qualification and experience to be appointed. • Senior faculty to be appointed in all disciplines. • No professor or Asstt. Prof. In any department. • No Ph.D faculty in the institution except Director. • CSE, 2 faculty members available against 4, deficiency 50%. • Electrical & Electronics 4 faculty available against • Deficiency 50% **AICTE pay scale** : AICTE pay scale not implemented for faculty and staff. **Building Area :** Building of the institution is under contruction, should be completed at the earliest. **Student intake :** Student intake is very low, only 171 studnets admitted aginst intake of 270. efforts to be made to improve intake by providing better facility and faculty. **Academic performance :** Academic performance needs to be improve. **Library :** Library budget is only 2.5%. A compliance report indicating rectification of all deficiencies must be received by the council up to 31-8-05 to entitle your institution for extension of approval for the year 2006-07.

10	Career Institute of Technology & Managemen t, Sector - 43, Arawali Hills, Faridabad-121001	Faculty : • CSE, 20 Faculty is available against 22 and in IT 7 against 11. • In mechanical Engg. out of 5 AP, 3 are just graduate and one is not having relavant experience. • In EC, the only prof. Is available is not Ph.D and out of 5 AP, 2 are only gradueate and one is only diploma holder. • In IT, no faculty members is available with PG Qualification. • 6 Prof. In Mech., 3 are above 65 years and 2 are merely 65 years of age. Note : Now the age for appointment has been extended by AICTE for prof. Up to 70 years. Placement :Placement shall needs improvement. **Library facilities :** Library deficient in books and journals. Residential facilities for the staff should be provided. **Additional Course / increase in intake :** The required faculty, space, library, computer, books and journals etc. required for additional course should be provided and proof thereof be sent to AICTE. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

11	Dronachary a College of Engg., Vill. Khentawas, P.O. Farrukh Nagar, Distt. Gurgaon	Faculty : Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students. • The stability of the faculty is poor with 24 faculty members having an experience of 6 month to 1 year and 8 faculty members having an experience of less then 6 months in the institution. • In Computer Engineering, 23 Faculty is available against 24. Placement : • Placement of the institution needs improvement (Presently 28%) Others : • The equipments in the lab seems to be new and unused. • The approach road to the institution was not mettled. • The data for funds position was not provided to the expert committee. • Software like Matlabs, Mathematics need to be provided in the labs. • Connecting roads not available to reach the institution. • Medical facilities are nonexistent in the college, this is very serious considering the remoteness of the place. Note : • There are serious complaints against the institution, which were also confirmed by the expert committee regarding sharing of resources for conducting the course of Deemed University of Udaipur. There are also complaints about the institution running another Engg. college i.e. Dronacharya Institute of Engg. • The above made complaints are more serious as the institution had not allowed interaction with the faculty and students of the institution in the pretext of vacations. • The Institution is required to give an explanation on the above. **Note :** Additional intake / new courses / PIO quota not granted on account of deficiencies in respect of running existing courses / intake. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07. t RO bupto 31.8.05 ROan detailed

12	Doon Velley Institute of Engg. & Technology, Outside Jundla gate, Karnal-132001	• Faculty : • Director / Head of the Institution : Director of the institution is not qualified as per AICTE norms. Director with requisite qualification and experience to be appointed. • Computer Science & Engg. & IT : 18 faculty are available against required 24. (Deficiency is 25%). • Mechanical : 8 are available against 12 (Deficiency is 33%). • Food Technology : 2 are available against 4 (Deficiency is 50%). • Electrical and Ec.: Nil faculty is available. • Senior faculty is to be appointed in all disciplines. • The institution has been given an opportunity to improve the faculty in Electrical and Electronics Engg. as it is approved only last year. Even though deficiency of 100% exist. Laboratory & Workshop : • Mechanical Engg. labs and workshops needs to be relocated on a better place and reconstructed. • MBA should have computer lab. Library facility : Books (volumes and titles) and journals (national and inter national) should be added in the library. Library budget needs to be improved (presently 1.5% only). Teaching aids : Modern teaching aides to be provided. **Note :** Additional intake / new courses / PIO quota not granted on account of deficiencies in respect of running existing courses / intake. A compliance report indicating rectification of all deficiencies must be received by the council up to 31-8-05 to entitle your institution for extension of approval for the year 2006-07.

13	DAV College of Engg. & Technology, Kanina, Distt. Mahendargarh (Haryana)-123027	**Head of the instt. /Director :** Director of the Instt. is not qualified as per AICTE norms. Director with requite qualification and experience to be appointed. **Faculty :** • Senior level faculty in all disciplines to be appointed. • Computer Sc. & Engg. : The deficiencies is 100% . • Ec.& Comm. Engg. : 4 faculty members are available against requirement of 12 (deficiency is 66%). • IT : 3 faculty members are available against 12 (deficiency 75%). **Pay scale :** AICTE Pay scale to be implemented. **Building :** Built up space is short by 36%. **Academic performance :** Needs improvement. **Student intake :** Student intake is very low, only 50 students against the sanctioned intake of 180 have been admitted in the session 2004-05. **Teaching Aids :** Modern Teaching aids to be provided in the institute. **Placement activities :** Needs to be initiated. **Computers & Lib. Facility :** Computers are short by 52% Lib. Journals are short by 61%. **Additional course in Mechanical Engg. :** The required faculty, space, laboratory, computer, library, books and journals etc. should be provided for additional course and proof should be send to AICTE by 31.12.05. A compliance report indicating rectification of all deficiencies must be received by the council up to 31-8-05 to entitle your institution for extension of approval for the year 2006-07.

14	Haryana College of Technology & Management, Ambala Road Kaithal-136027	The extension of approval for the session 2005-06 has not been intimated to be issued (as per telephonic discussion with General Secretary of the Society) by AICTE on account of non deposition of the requisite fee and penalty by the institute. Any how the extension of the approval issued by AICTE for the session 2004-05 contained the following deficiencies / short comings. **Faculty :** • Faculty at Prof. & Associate Prof. Level are inadequate and recruitment of Prof. & AP should be completed. • Computers are not adequate and are required to be added. • Journals in library are not as per council norms. **Note :** Additional intake / new courses / PIO quota not granted by AICTE on account of deficiencies in respect of running existing courses / intake.

15	Haryana Engg. College, Old Chhachrauli Road, Jagadhari, Yamuna Nagar-135003.	Director/Head of the Institution: Director is more than 65 years of age. Director with requisite qualifications & experience to be appointed as per AICTE norms. Faculty: Specialization of faculty members are not mentioned. 43 faculty members out of total of 70 are having an experience of less than 6 months in the institution, faculty stability needs to be improved. Placement: Placement cell needs to be improved. The decision regarding the merger of the standalone MCA institution with the Engineering College will be conveyed separately. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

16	Hindu College of Engg., Sonepat	**Faculty:** • Electrical Engg. 5 faculty members are available against the requirement of 12 • Information Technology: No faculty is appointed for Information Technology • Electronics & Communication Engg.: 9 faculty members are available against the requirement of 12 • Senior level faculty to be appointed in all disciplines • No Professor or Asstt. Prof. In any department • Teachers not allotted subjects as per their qualifications • Most of the faculty members are in-experienced • Not a single faculty member has been confirmed by the institute. **Teaching Aids:**Teaching Aids need up gradation. **Library:** • The Library is inadequate in terms of books and journals • Librarian is not available in the Library **Labs :** • Lab require strengthening in terms of equipments • Lathe Machines are not properly installed • Proper furniture is not available in Labs • Equipments/Machinery in the workshop are not adequate and properly installed. **Placement:** • Present placement is 7.5 %. Needs to be improved **AICTE Pay Scale : AICTE pay scale not implemented** **Student Intake** • Student intake is very low, only 171 students have been admitted against the sanctioned intake of 270, efforts to be made to improve intake. **Academic Performance** • Academic Performance needs to be improved. **Computer facilities** • Internet facility need to be improved. • Computers are short by 57% as per AICTE norms **Others** • Academic Ambience is not up to the mark and needs improvement. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. A compliance report indicating rectification of all deficiencies must be received by the council up to 31-8-05 to entitle your institution for extension of approval for the year 2006-07.

17	Institute of Technology & Management, Gurgaon	**Director/Head of the Institution: Director is over age, more than 73 years of age. Director with requisite qualification and experience to be appointed as per AICTE norms.** **Faculty :** **Ec. & Comm. :** 23 faculty are available against the requirement of 26. Short fall of three • CSE & IT : 17 are working against the requirement of 30. Short fall of 13 **Automobile :** No faculty is available against the requirement of 6. Short fall of 6. **Mech :** 9 faculties are working against the requirement of 12. Short fall of 3 • No faculty for Automobile Engg. has been shown in the list. • Filed of specialization of the faculty member have not been mentioned. • Mechanical Engg. Deptt. and CSE do not have professors/HOD as per AICTE norms. • No separate faculty for information technology. • 2 professors, one Asstt. Prof .and one Lecturer are over age. • Mechanical Engg. only 1 Professor who is also over age. • IT & Computer Science: 2 professors are over age, 2 lecturers with MSc qualification not considered, one Sr. Lecturer Rajan Bohra is visiting faculty not considered, six faculty members have resigned. • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

18	Jind Institute of Engineering & Technology, Jind, Haryana	**Director/Head of the Institution** Director is not Phd. Director with requisite qualifications and experience to be appointed as per AICTE norms . **Faculty:** **MBA : faculty are working against the requirement of 4. Short fall of one.** **MCA : No faculty is working against the requirement of 4. Short fall of 4.** • Faculty stability is very poor. 83 out of 88 faculty members are having an experience of less then six months. • Faculty with proper cadre ratio (!;2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and incoming batch. • No clear faculty for MBA & MCA shown by the institution. • Salary not being paid as per AICTE norms to all the faculty members and staff • No professor in any department. **AICTE Pay Scales** • AICTE pay scale is not implemented **Library Facilities** • Library facilities needs to be upgraded (books short by 24 %). **Placement** • Placement cell is not satisfactory **Labs** • Infrastructure facilities in labs are in adequate. • Built up space • Built up space is inadequate. **Computer Facilities** • Computer short by 29% **Others:** • Students are feeling lack of industry exposure and R&D Pass percentage of the students are not satisfactory (specially in ECE is very poor). **Mess & Catering facilities needs improvement** Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

19	Jan Nayak Ch. Devi Lal Memorial Engg. College, Panniwala Mota, Sirsa (Haryana)	The extension of approval for the session 2005-06 is yet to be received from the AICTE. Any how the extension of approval for the year 2004-05 contained the following deficiencies / short comings. Faculty : Faculty at Prof. & Associate Prof. level are in adequate. Journals in library are not as per norms. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. • The intake in IT was reduced from 45 to 30 and in Elect. & Ec. From 60 to 30. There by reducing the total intake from 345 to 300. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake.

20	Lingaya's Institute of Management & Technology	• For the additional course/increase in intake, the required faculty must be recruited and their joining report be sent to AICTE. • The space requirement for the additional intake/increase in intake sanctioned should be made available. • The proof of creation of required space alongwith necessary documentary evidence should be sent. • Required facilities such as lab, computer, library, books, journals etc. be provided. Note: In the event of infrdgement / contravention or non compliance of the above conditions and / or the provision for AICTE act and regulations / guidelines / norms and standards, further action leading to reduced intake / no admission / withdrawal of approval.

21	M. M. Engineering College, Mullana, Distt. Ambala (Haryana)	**Faculty : Ec & Inst. :Only 10 faculty are available against the requirement of 12. Short fall of 2.** • One Professor with Phd.and two Asstt. Professors in the relevant field of specialization needs to be appointed. • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. **Placement : Placement Cell needs improvement** Note: Part time courses are not being approved as per AICTE policy. For the additional course / increase in intake, the required faculty, space, laboratory, computer, library, books and journals etc. should be made available and proof send to AICTE by 31.12.05. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07. Note: In the event of infrdgement / contravention or non compliance of the above conditions and / or the provision for AICTE act and regulations / guidelines / norms and standards, further action leading to reduced intake / no admission / withdrawal of approval.

22	Manav Rachna College of Engg., Faridabad, Haryana	**Faculty** • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. • Faculty at senior level as per AICTE norms to be appointed. **Lab :Labs are not equipped for the 2nd year or onward.** **AICTE Pay Scales : AICTE pay scales are not implemented.** **Computer facilities :Internet facilities to be improved.** **Library Facilities :** • Relevant books, journals and magazines to be added. • Library space is to be increased for reading. **Built up space** • Built up space is not ready for next year classes, under construction. The same is to be completed at the earliest. **Teaching Aids** • DLP/LCD not available, teaching aids to be provided. **Interaction with students** • Not interaction of the expert committee with the student has been viewed seriously by the Council. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. Council has decided to undertake inspection at any time after 14.8.05, a compliance report in respect of rectification of deficiencies as above must be sent to the council with a copy to RO before 31.8.05. In the absence, extension of approval for 2006-07 may not be considered.

23	NC College of Engg., Israna, Panipat (Haryna)	**Director/Head of the Institution** Director is over age (date of birth 25-09-1939). Director with requisite qualifications and experience to be appointed as per AICTE norms. Faculty : • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. • Most of the faculty is unstable , 62 faculty members are having an experience of less than six months. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07. For the additional course / increase in intake, the required faculty, space, laboratory, computer, library, books and journals etc. should be made available and proof send to AICTE by 31.12.05.

24	P. D. Memorial College of Engg., Sarai Aurangabad, Bahadurgarh, Jhajjar(Haryana)	**Faculty :** Instrumentation & Control • 7 number of faculties are available against the requirement of 12. Short fall of 5 • Senior level faculty are not available as per AICTE norms. **Faculty** • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. • Highly unstable faculty, 68 faculty members are having an experience of less than six months. **Equipments** • Latest equipments are required particularly in Bio Medical Labs. **Library** • More reference books to be added in the library. • Timings of the library and computer centre should be increased for the students Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. For additional course/increase in intake, the required faculty space requirement, library, computer, laboratory, books and journals etc. should be provided and proof thereof be sent up to 31-12-2005. **Note :** The above approval is subject is your rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

25	Seth Jai Parkash Mukand Lal Institute of Engg. & Tech. Radaur, Y.Nagar, Haryana	**Faculty :** Elect. Engg. : 11 faculty are available against the requirement of 12. Short fall of `1. **IT : 8 faculty are available against the requirement of 12. Short fall of 4.** **ICE :** 9 faculty are available against the requirement of 12. Short fall of 3. • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. • Faculty is unstable, 71 faculty members are having an experience of less than six months. • The only Assistant Professors in Electrical Engg. is not having proper PG Degree. **CSE :** • 1 professor is not Phd., no Asstt. Professor • Information Technology • No Professor or Asstt. Prof. **Chemical Engg. :**No Assistant Professor **AICTE Pay Scales : AICTE pay scales to be implemented for all faculty members.** **Placement : Placement percentage is low(18%).** **Library Facilities : Library budget needs to be improved(1.34% presently).** **Computer Facilities : Printers need to be added.** For additional course of M.Tech, /increase in intake, the required faculty space requirement, library, computer, laboratory, books and journals etc. should be provided and proof thereof be sent up to 31-12-2005. **Note :** The above approval is subject to rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

26	Shri Krishna Institute of Engg.,& Tech., Kurukshetra, Haryana	**Director/Head of the Institution** • Director is not Phd., Director with requisite qualifications and experience is to be appointed as per AICTE norms. **Faculty :** Information Technology & Computer Science & Engg. • 23 faculties are available against the requirement of 30. Short fall of 7. • 16 faculty members having an experience of less than six months. 31 faculty members not issued appointment letters. • No Ph.D Faculty for M.E. & ECE, Computer Sc. & Engg., Single professor, Phd.in Applied Science and Humanities. • No senior level faculty • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. **Placement : Placement is very poor (22%)** **Computer Facilities** • 100 more computers needed. • Internet facilities to be augmented • Software and peripherals to be purchased • Land Connectivity not available for 40% computers. **Library Facilities** • Titles of books not related to syllabus and deficient. • Appointment letter of library staff not shown. • Journals and books are inadequate. • Title of books short by 66%. **Built up space** • Built up space short by 48% for existing courses. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. **Note :** The above approval is subject to rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

27	Shri Baba Mast Nath College of Engg., Rohtak, Haryana	**Director/Head of the Institution** • Director of the institution is not qualified as per AICTE norms. • Director with requisite qualifications and experience to be appointed. **Faculty** Computer Engg. : Seven faculty members are available against the requirement of 12, deficiencies is 42 % . **ECE :** Seven faculty members are available against the requirement of 12, deficiencies is 42 % . **Mech** • Seven faculty members are available against the requirement of 12, deficiencies is 42 % . • Senior level faculty to be appointed in all disciplines. • No professor PHd. Faculty in the institution. • The filed of specialization of the faculty member are not mentioned. **Library Facilities** • Library budget is only 3.5 % • Library should be augmented with more books and journals as per AICTE norms. • Library books are short by 28%, journals are short by 75%. **Placement : Placement is poor (44%) for 2004.** **Computer Facility : Needs to be upgraded** Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. **Note :** The above approval is subject to rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

28	Somany Institute of Technology & Management, Rewari, Haryana	**Faculty :** **CSE :** 9 faculty are available against the requirement of 12. Short fall of 3. ECE : 10 faculties are available against the requirement of 12. Short fall of 2. **IT : 9 faculty are available against the requirement of 12. Short fall of 3.** **Qualifications of three lecturers is not mentioned.** • Only three lecturers having PG qualifications in Engg. & Tech. • No faculty with Phd. Qualifications • No Assistant professors/Professors working in institute • Faculty at senior level as per AICTE norms to be appointed. • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. **Placement** • No placement details provided to expert committee. **Computer Facility** • Internet facilities to be extended to all labs and faculty rooms. • License software is needed, as LCD/OHP to be provided **Library facilities : Books and journals to be added in library as per AICTE norms.** **Labs :The mechanical engineering labs needs to be equipped with relevant equipment.** **Built up space : Built up space short by 22%.** **Others :Seminars and presentation** Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. **Note :** The above approval is subject to rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

29	Swami Devi Dayal Institute of Computer & Information Technology, Barwala, Haryana	**Faculty :** **Elect. Engg. :**11 are working against the requirement of 12. Short fall of 1. **ECE :** 9 are working against the requirement of 12. Short fall of 33. **IT : 5 are working against the requirement of 12. Short fall of 7.** • Most of the faculty is adhoc and in experienced. • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students.. • The principal's salary is fixed at Rs. 31,000/- consolidated sings on 30,600/-, Doctors of near by hospital also paid from college funds. Note : The institution is required to provide explanation on the above. **Library Facilities** • Many books are of irrelevant topics and have never been used. **Academic performance : Academic performance poor** **Lab Facilities : Equipments insufficient for large batches of students** **Computer facilities : 90 computers shown, half of them P-IV, college claim to have 242 numbers. However no bills/stocks entries were shown** **Funds position : About 2000 students are giving fee, nearly 10 crores, but the statement of income and expenditure by the CA does not reflect true figures. Depreciation is shown as Rs. 80 lacs in the 2nd year. The institution has not provided a true picture of the funds position.** **Others** • No extra curricular activities and facilities are available. Food quality and maintenance in hostel is very poor. Students hostels, mess and lab are dirty and poorly maintained. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. **Note :** The above approval is subject to rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

30	Technological Institute of Textile & Sciences, Bhiwani, Haryana-127021	Director / Head of Institution : Director is over age . Director with requisite qualification and experience is to be appointed. **Faculty:** • Faculty at senior level as per AICTE norms to be appointed. • Faculty with proper cadre ratio (1:2:4), requisite qualification and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students. • 19 faculty members are having an experience of less than 6 months in the institution. Faculty stability needs to be improved. • In CSE, 7 faculty available against 12 • In Textile 12 faculty available against 20. **Computer facilities:** Computers short by 29% **Built up space :** Built up space needs to be added as per norms **Library facilities :** Books & Journals (National & International) to be added in the Library as per AICTE norms. Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. **Note :** The above approval is subject to rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

31	Vaish College of Engg., Rohtak, Haryana	**Faculty :** **CSE :** 9 faculty are available against the requirement of 12. Deficiency of 25%. **Electrical Engg. :** 8 faculty members are available against the requirement of 12. Deficiency of 33%. **ECE :** 9 faculty are available against the requirement of 12. Deficiency of 25%. **IT : 7 are available against the requirement of 12. Short fall of 41%.** • Senior level faculty to be appointed in all disciplines. • Faculty stability needs to be improved, 19 faculty members are having experience of less then six months. **Library Facilities** • Books and journals should be added in library • Library budget needs to be improved.(presently 2.5%). **Placement** • Placement activity needs to be improved. Presently 18%. **Computer Facilities** • Computers needs to added as per AICTE norms. • Licensed software to be added. • Broad and internet facility to be provided Note: Additional Intake/New Courses/PIO quota not granted on account of deficiencies in the running of existing courses with existing intake. For additional course of M.Tech, /increase in intake, the required faculty space requirement, library, computer, laboratory, books and journals etc. should be provided and proof thereof be sent up to 31-12-2005. **Note :** The above approval is subject to rectification of deficiencies latest by 31.8.05. A compliance report indicating rectification of deficiencies and detail of faculty recruited for each course must be received by the council with copy to RO upto 31-8-05 to entitle your institute for extension of approval for 2006-07.

32	Gurgaon Instt. of Technology and Management, Gurgaon. New Institute (240)	**Faculty :**Faculty to be appointed as per AICTE norms with pay scales as prescribed by AICTE before making any admission **Laboratories:** All the required laboratories / workshops / machinery/ equipment as per approved syllabi of the affiliating university must be operational before making admission. **Hostel facilities :** Hostel facility needs to be improved. **Residences:** Residences arrangement for faculty to be provided. **Admissions :** Admissions to be made as per AICTE guidelines. **Approval :The approval is valid only for academic year 2005-06. If no further extension of AICTE is received beyond the academic year 2005-06, this approval letter will not be valid for making admissions for the subsequent years.**

33	Gold Field Institute of Technology & Mgt., Village Chhainsa, Ballabhgarh Near Jawahar Navodaya Vidhalaya Distt. Faridabad New Institute (240)	**Faculty :**Faculty to be appointed as per AICTE norms with pay scales as prescribed by AICTE before making any admissions **Laboratories:** All the required laboratories/ workshops/ machinery/ equipment as per approved syllabi of the affiliating university must be operational before making admissions. **Library :** • Books and journals to be provided in the Library as per AICTE norms prior to making admissions. • Library & Chemistry Lab should be shifted to proper place (as given in the undertaking) within one month. **Built up area :** • Shortfall in administrative 122 sqmtrs., circulation area 215 sqmtrs. And shortfall in total area 71 sqmtrs. should be rectified within one month. • Six small rooms should be clubbed to make 3 big rooms within one month**.** **The approval is valid only for academic year 2005-06. If no further extension of AICTE is received beyond the academic year 2005-06, this approval letter will not be valid for making admissions for the subsequent years.**

34	CR State College of Engg., Murthal, Distt. Sonepat (376)	**Faculty :** • Faculty shortage is acute • In chemical Engg. 2 faculty available against 6 required. • Computer Engg. : 5 faculty available against 10 required. • Electrical Engg. : 6 faculty available against 10 required. • Ec. & Comm. : 4 faculty available against 8 required. • MBA : No faculty available. • Professors without Ph.D qualification. Conventional teaching methods, no OHP"s used. • One Professor & 2 Asstt. Professors are exclusively required for each PG courses. • No faculty yet appointed for Bio-Technology and Bio-Medical courses. • Only 2 Professors in engineering disciplines in the whole institution are available, one is not Ph.D. **Others:** • Academic performance in B.Arch is poor. • The institution spanning over a vast area but not properly maintained. • Labs poorly equipped & poor maintenance modernization of labs urgently needed. • Physics & chemical labs need urgent improvement. • No labs ready for Bio-Medical & Bio-Technology even though batch will be completing one year • Workshop for Architecture needs up gradation • Library facility inadequate in terms of books/Journals Ref. Books & Computerization. • Last year specific conditions not complied • Computers short by 70% • LAN connectivity short by 70 % Council has decided to undertake inspection at any time after 14.8.05, a compliance report in respect of rectification of deficiencies as above must be sent to the council with a copy to RO before 31.8.05. In the absence, extension of approval for 2006-07 may not be considered.

35	YMCA Instt. of Engg., Faridabad (444)	**Faculty :** • In Electronics & Comm. : No faculty is available against required 4. • In Ec. & Instrumentation : No faculty is available against required 4. • Mechanical Engg. : 13 are available against 24. • Computer Sc. & IT : 13 are available against 16. • Only 2 Professors in the institution • Faculty at senior level is inadequate • Faculty with proper cadre ratio (1:2:4), requisite qualifications and experience to be appointed in all disciplines as per AICTE norms for UG & PG level courses. • No Ph.D faculty in Mechanical Engineering • Most of the faculty is unstable, 36 faculty members are having an experience of less than 6 months in the institution. **Library facility :** • Library budget is less (2%), Library working hours need to be extended. • Journals inadequate **Computer facilities** • Computers to be added as per AICTE norms • Old P-II & P-III to be replaced • More licensed softwares needed • Bandwidth of network needs to be improved • Internet facilities to be upgraded. **Others** • Built up space for labs is not adequate, the construction work should be undertaken at the earliest. • Consultancy work needs to be improved. • Research culture needs to be developed. • Lab staff needs to be appointed. Council has decided to undertake inspection at any time after 14.8.05, a compliance report in respect of rectification of deficiencies as above must be sent to the council with a copy to RO before 31.8.05. In the absence, extension of approval for 2006-07 may not be considered.

36	Ch. Devi Lal Memorial Engg. College, Panni wala Mota, Sirsa (new institute started in 2003)	The extension of approval for the session 2005-06 is yet to be received from the AICTE. Any how the extension of approval for the year 2003-04 contained the following deficiencies / short comings. The infrastructure is not yet ready to conduct classes, the society should complete it commencement of new academic session.

37	College of Agricultural Engg. & Tech., CCS HAU, Hissar, Haryana (20)	**Laboratory** • Lab facility needs to be improved. **Others** • Institute depends on other departments of the University. • Violation of norms by admitting excess students (39 instead of 20) The university is advised to not admit student beyond the sanctioned intake of AICTE. Council has decided to undertake inspection at any time after 14.8.05, a compliance report in respect of rectification of deficiencies as above must be sent to the council with a copy to RO before 31.8.05. In the absence, extension of approval for 2006-07 may not be considered.

38	Kurukshetra University, Kurukshetra (66)	**Faculty** • No professor on regular basis • Visiting professor cannot be considered • Hostel premises for Engg. Students may be separated and Internet facility may be provided in hostel. Others • The University has violated AICTE norms by making excess admissions. The University is advised to abide by the norms of the council and not make admissions beyond the AICTE approved intake. Council has decided to undertake inspection at any time after 14.8.05, a compliance report in respect of rectification of deficiencies as above must be sent to the council with a copy to RO before 31.8.05. In the absence, extension of approval for 2006-07 may not be considered.

39	Guru Jambheshwer University, Hisar (300)	**Faculty :** • Bio-medical Engg. : 1 faculty is available against 12. • Ec. & Comm : 9 faculty is available against 12. • IT : No faculty is available against 12. • Printing Technology : 5 faculty is available against 6. • Contractual + guest faculty to be reduced & regular faculty to be appointed • Inadequate senior level faculty • Faculty with proper cadre ratio (1:2:4), requisite qualifications and experience to be appointed in all disciplines as per AICTE norms for the existing and the incoming batch of students Library facilities: • Library deficient in books & journals. Computer facilities: • P-II & P-III Computers need upgrading/ replacement. Others: • Research and development activities need to be enhanced. • Running unapproved programme like Mechanical Engineering and have made excess admissions in PG courses. • The University has violated AICTE norms by making excess admissions and running unapproved courses. The University is advised to abide by the norms of the council and not make admissions beyond the AICTE approved intake. Council has decided to undertake inspection at any time after 14.8.05, a compliance report in respect of rectification of deficiencies as above must be sent to the council with a copy to RO before 31.8.05. In the absence, extension of approval for 2006-07 may not be considered.

40	MDU, Rohtak	MDU Rohtak has started BE / B.Tech courses in 4 branches with 60 intake in each w.e.f. the session 2005-06.The approval of AICTE is not required by the Universities to start the AICTE approved courses as per decision of Hon'ble Supreme Court in Bharti Dasan case. Any how, the universities are required to meet the norms and standard of AICTE. The response of AICTE is yet to be received about the start of these courses by MDU, Rohtak.