

From

The Director  
Technical Education Haryana,  
SCO 38-39, Sector 17-A,  
Chandigarh.

To

The Principal  
KRN Institute of Technology,  
Village Khairi, PO Bodla,  
Distt. Kurukshetra

Memo No.1156-1156-A /Poly.  
Dated Chandigarh the: 20.5.08

**Subject: Extension of approval / variation in intake / introduction of new courses / introduction of double shift for the session 2008-09- Show Cause Notice.**

Reference to your proposal on the subject mentioned above, it is informed that expert committee during inspection of your Institute on 9.5.2008 found following deficiencies in respect of your institute.

- i) **Only 38 computers (assembled) were available against 75. Equipments/ labs/ workshop need to be augmented.**
- ii) **Faculty is very less. Only 7 teachers against 15 required are available. Faculty student ratio is 1:45. Salary is paid in cash (ranging from 12000-15000 fixed per month) to faculty without TDS. The salary is less than AICTE norms.**
- iii) **Approach road is not 33 feet wide and that too is unmettled.**
  - **Total built up area available is about 28000 which is just sufficient for 1<sup>st</sup> year classes.**
  - **The area under construction for 2<sup>nd</sup> year classes is not sufficient. And no arrangement for fresh admission for session 2008-09 made.**
  - **The institute has not provided proper boundary in back side.**
  - **The construction of building is not A Class.**
- iv) **The 10 Kanal 8 ½ merla land was observed to be used for agricultural purposes which deprived, the student to use the same for co-curriculum activities.**
- v) **Proper transportation arrangement for students not provided as the hostel is not available and institute is located in rural area.**
- vi) **Academic performance is very poor i.e. 1.7%**

In view of the above deficiencies, the State Level Committee in its meeting held on 16.05.2008 has decided to place your institute under “No Admission” category for the session 2008-09. However in order to provide you a final opportunity, you are hereby issued a Show Cause Notice for compliance of all above deficiencies within 15 days from the issue of this letter. In the event of non-compliance of above deficiencies within stipulated period, your institute shall be placed in the “No Admission” category for the session 2008-09. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-  
Additional Director  
For Director Technical Education  
Haryana, Chandigarh.

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-  
Joint Director  
For Director Technical Education  
Haryana, Chandigarh.

From

The Director  
Technical Education Haryana,  
SCO 38-39, Sector 17-A,  
Chandigarh.

To

The Principal  
Adarsh Polytechnic,  
Brahmanwas Julana,  
Distt. Jind

Memo No.1155-1155-A  
Dated Chandigarh the: 20.5.08

/Poly.

**Subject: Extension of approval / variation in intake / introduction of new courses / introduction of double shift for the session 2008-09- Show Cause Notice.**

Reference to your proposal on the subject mentioned above, it is informed that expert committee during inspection of your Institute on 13.5.2008 found following deficiencies in respect of your institute.

- i) **Sharing of facilities of polytechnics with proposed B.Ed. since 2300 books of B.Ed. were available in library and College education was also mentioned on the signboard.**
- ii) **Salary paid to faculty is very less ranging from Rs. 8000-12000 that too paid in cash. The faculty student ratio is very meager i.e. 1: 50.**
- iii) **Regular principal not available.**
- iv) **Main workshop under construction at roof level. Presently one lab Approx. area 1800 sq. feet is used as workshop is much below as per AICTE Norms. Areas of all the labs and library (1000 Sq. feet) is less than the norms.**
- v) **Labs and workshop are poorly maintained and is partly functioning.**
- vi) **Only 18 computers are available against 75 required.**
- vii) **Institute does not have proper approach**
- viii) **Clear demarcation of polytechnic with boundary not provided.**

In view of the above deficiencies, the State Level Committee in its meeting held on 16.05.2008 has decided to place your institute under "No Admission" category for the session 2008-09. However in order to provide you a final opportunity, you are hereby issued a Show Cause Notice for compliance of all above deficiencies with in 15 days from the issue of this letter. In the event of non - compliance of above deficiencies with in stipulated period, your institute shall be placed in the "No Admission" category for the session 2008-09. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-  
Additional Director  
For Director Technical Education  
Haryana, Chandigarh.

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-  
Joint Director  
For Director Technical Education  
Haryana, Chandigarh.

From

The Director  
Technical Education Haryana,  
SCO 38-39, Sector 17-A,  
Chandigarh.

To

The Principal  
CDRZ Polytechnic,  
Beri, Distt. Jhajjar

Memo No.1154-1154-A  
Dated Chandigarh the: 20.5.08

/Poly.

**Subject: Extension of approval / variation in intake / introduction of new courses / introduction of double shift for the session 2008-09- Show Cause Notice.**

Reference to your proposal on the subject mentioned above, it is informed that expert committee during inspection of your Institute on 8.5.2008 found following deficiencies in respect of your institute.

- i) **Computers are less than AICTE norms (only 34 available against 75). No LAN. No Legal Software. Very meager internet connectivity i.e. 215 Kbps.**
- ii) **Faculty very short (only 7 lecturers including principal) and not paid as per AICTE norms – cash salary ranging from Rs. 8000/- to Rs.10000/- only is paid.**
- iii) **Academic results is very poor i.e. 1.51% needs immediate extensive improvement.**
- iv) **No arrangement of hostels**
- v) **Only one college bus is provided which is insufficient for proper transportation.**

In view of the above deficiencies, the State Level Committee in its meeting held on 16.05.2008 has decided to place your institute under “No Admission” category for the session 2008-09. However in order to provide you a final opportunity, you are hereby issued a Show Cause Notice for compliance of all above deficiencies with in 15 days from the issue of this letter. In the event of non - compliance of above deficiencies with in stipulated period, your institute shall be placed in the “No Admission” category for the session 2008-09. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-  
Additional Director  
For Director Technical Education  
Haryana, Chandigarh.

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-  
Joint Director  
For Director Technical Education  
Haryana, Chandigarh.

From

The Director  
Technical Education Haryana,  
SCO 38-39, Sector 17-A,  
Chandigarh.

To

The Principal  
D.P.G Polytechnic,  
Sector 34, Near Hero Honda Chowk,  
Gurgaon

Memo No. 1153-1153-A  
Dated Chandigarh the: 20.5.08

/Poly.

**Subject: Extension of approval / variation in intake / introduction of new courses / introduction of double shift for the session 2008-09- Show Cause Notice.**

Reference to your proposal on the subject mentioned above, it is informed that expert committee during inspection of your Institute on 9.5.2008 found following deficiencies in respect of your institute.

- i) **AICTE Unapproved programmes such as B.Ed, B.B.A. MBA are running under the name of Algot School of Technology in the same campus and same building with separate rooms, Furniture & infrastructures. Institution is partly prepared for fresh admission for 2008-09 only building.**
- ii) **Computers are less than AICTE norms i.e. 60 available against 75.**
- iii) **Library is located in 1200 Sq feet where as they have sufficient size room at 1<sup>st</sup> floor to relocate library.**
- iv) **Built up area is just sufficient for 1<sup>st</sup> Year classes.**
- v) **Salary being paid through bank but TDS not deducted. Faculty student ratio 1:32.8**
- vi) **Result very poor i.e. 2.9%.**

In view of the above deficiencies, the State Level Committee in its meeting held on 16.05.2008 has decided to place your institute under "No Admission" category for the session 2008-09. However in order to provide you a final opportunity, you are hereby issued a Show Cause Notice for compliance of all above deficiencies with in 15 days from the issue of this letter. In the event of non - compliance of above deficiencies with in stipulated period, your institute shall be placed in the "No Admission" category for the session 2008-09. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-  
Additional Director  
For Director Technical Education  
Haryana, Chandigarh.

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-  
Joint Director  
For Director Technical Education  
Haryana, Chandigarh.

From

The Director  
Technical Education Haryana,  
SCO 38-39, Sector 17-A,  
Chandigarh.

To

The Principal  
Guru Dronacharya Polytechnic,  
Vill Bhuna, Dist. Fatehabad  
Haryana

Memo No.1152-1152-A  
Dated Chandigarh the: 20.5.08

/Poly.

**Subject: Extension of approval / variation in intake / introduction of new courses / introduction of double shift for the session 2008-09- Show Cause Notice.**

Reference to your proposal on the subject mentioned above, it is informed that expert committee during inspection of your Institute on 12.5.2008 found following deficiencies in respect of your institute.

- i) **Sharing of facilities of polytechnic with B. Ed. as B.Ed. books (4766No.) available in library and Signboard mentioning college of Education.**
- ii) **Faculty being paid through cheque @ 17000 each as intimated by the faculty but a fix some is being taken back from them every month. Faculty student ratio is 1:30.**
- iii) **The width of brick paved path leading to Institute is only about App. 16 ft., which is less.**
- iv) **The size of workshop/ library less than AICTE norms.**
- v) **Computer facilities are very less i.e. 33 computers were available against 75. the connectivity is 512 Kbps.**
- vi) **The master site plan for polytechnic is required.**
- vii) **The boundary wall of poly. is required to be provided.**
- viii) **The institute has not made any appropriate arrangements for starting 2<sup>nd</sup> year classes in respect of additional building, procurement of equipments/ books/ computers and recruitment of faculty.**
- ix) **Academic results are very poor i.e. 5%**

In view of the above deficiencies, the State Level Committee in its meeting held on 16.05.2008 has decided to place your institute under "No Admission" category for the session 2008-09. However in order to provide you a final opportunity, you are hereby issued a Show Cause Notice for compliance of all above deficiencies with in 15 days from the issue of this letter. In the event of non - compliance of above deficiencies with in stipulated period, your institute shall be placed in the "No Admission" category for the session 2008-09. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-

Additional Director  
For Director Technical Education  
Haryana, Chandigarh.

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-

Joint Director  
For Director Technical Education  
Haryana, Chandigarh.

From

The Director  
Technical Education Haryana,  
SCO 38-39, Sector 17-A,  
Chandigarh.

To

The Principal  
RCM Polytechnic,  
M.P. Majra, Beri,  
Jhajjar

Memo No. 1151-1151-A  
Dated Chandigarh the: 20.5.08

/Poly.

**Subject: Extension of approval / variation in intake / introduction of new courses / introduction of double shift for the session 2008-09- Show Cause Notice.**

Reference to your proposal on the subject mentioned above, it is informed that expert committee during inspection of your Institute on 8.5.2008 found following deficiencies in respect of your institute.

- i) **Inadequate faculty (faculty student ratio 1:30) and that to paid in cash & a few on less / fixed salary ranging from 10000 to 16900) less than AICTE scale.**
- ii) **Built area is just sufficient for 1<sup>st</sup> year classes only, workshop is not having class-A, construction and C.G.I. Seat roof was damaged. Labs area is less.**
- iii) **M/c & equipment in workshop needs to be augmented as per curriculum**
- iv) **Computers (45 assembled) are available which are not as per AICTE norms. Connectivity is 256 Kbps only.**
- v) **Built up area & other infrastructural facilities required for 2<sup>nd</sup> year were not visible/available.**
- vi) **Academic results/ performance very poor (i.e. 2.42%) and needs immediate extensive improvement.**
- vii) **The institute was unable to produce the requisite land, building, equipments documents for verifying the sharing of facilities by RCM School located adjacent to Polytechnic without separate boundary.**

In view of the above deficiencies, the State Level Committee in its meeting held on 16.05.2008 has decided to place your institute under "No Admission" category for the session 2008-09. However in order to provide you a final opportunity, you are hereby issued a Show Cause Notice for compliance of all above deficiencies with in 15 days from the issue of this letter. In the event of non - compliance of above deficiencies with in stipulated period, your institute shall be placed in the "No Admission" category for the session 2008-09. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-  
Additional Director  
For Director Technical Education  
Haryana, Chandigarh.

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-  
Joint Director  
For Director Technical Education  
Haryana, Chandigarh.

From

The Director  
Technical Education Haryana,  
SCO 38-39, Sector 17-A,  
Chandigarh.

To

The Principal  
Apex Polytechnic and Engg. College,  
Biohaikera, Teh. Tohana,  
Haryana

Memo No. 1149-1149-A /Poly.  
Dated Chandigarh the: 20.5.08

**Subject: Extension of approval / variation in intake / introduction of new courses / introduction of double shift for the session 2008-09- Show Cause Notice.**

Reference to your proposal on the subject mentioned above, it is informed that expert committee during inspection of your Institute on 9.5.2008 found following deficiencies in respect of your institute.

- i) **The Building recently constructed for the polytechnic has wall height of 8' without any glazing etc. there was big, noise in the classrooms.**
- ii) **The original building appx. 13000 Sq. Feet. is being used for B.Ed. also . It was gathered that ITI is also being run the same building. The workshop building is unhygienic. The wall height & Roof is covered with CGI sheets and no ventilation was seen.**
- iii) **No regular principal was appointed.**
- iv) **Poor Academic performance i.e.2% only.**
- v) **Students were not satisfied with the infrastructure provided to them.**
- vi) **Institute is not provided with proper boundary wall.**
- vii) **Ms. Shelly lect. of ECE was also present in Guru Nanak Poly. Tohana during our visit she is employed at both institute.**
- viii) **Faculty (8 No. were present against 15 required) is less than AICTE Norms. Fix salary ranging from Rs. 6000/- to Rs.10000/- is being paid to staff which is less than to AICTE Pay scales. Faculty student ratio 1:37**
- ix) **60 P-IV computers were available against 75 required as per AICTE norms.**
- x) **Physics Chemistry labs were not functional. The equipment in other lab is also very less and is also partly functional.**
- xi) **Preparedness for fresh admission for 2008-09 not there.**

In view of the above deficiencies, the State Level Committee in its meeting held on 16.05.2008 has decided to place your institute under "No Admission" category for the session 2008-09. However in order to provide you a final opportunity, you are hereby issued a Show Cause Notice for compliance of all above deficiencies with in 15 days from the issue of this letter. In the event of non - compliance of above deficiencies with in stipulated period, your institute shall be placed in the "No Admission" category for the session 2008-09. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-  
Additional Director  
For Director Technical Education  
Haryana, Chandigarh.

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-  
Joint Director  
For Director Technical Education  
Haryana, Chandigarh.

From

The Director  
Technical Education Haryana,  
SCO 38-39, Sector 17-A,  
Chandigarh.

To

The Principal  
Sir Chhotu Ram Polytechnic,  
Gohian, Jind

Memo No. 1150-1150-A  
Dated Chandigarh the: 20.5.08

/Poly.

**Subject: Extension of approval / variation in intake / introduction of new courses / introduction of double shift for the session 2008-09- Show Cause Notice.**

Reference to your proposal on the subject mentioned above, it is informed that expert committee during inspection of your Institute on 5.11.2007 & 29.2.2008 found following deficiencies in respect of your institute.

- 1 Lesson plan / teachers diary not maintained
- 2 Lab infrastructure is inadequate
- 3 Workshop not found
- 4 A school has been running in the same campus.
- 5 Construction of class rooms, lab building and workshop was under process
- 6 Shortage of faculty as per AICTE norms.
- 7 Faculty / Student Ratio -1:25
- 8 AICTE / State Govt. pay scales are not being given to the faculty
- 9 Internet connectivity: Partially available at low speed
- 10 Legal software's not available
- 11 Second semester books are not available
- 12 Internet and lab facilities need to be augmented

In view of the above deficiencies, the State Level Committee in its meeting held on 16.05.2008 has decided to place your institute under "No Admission" category for the session 2008-09. However in order to provide you a final opportunity, you are hereby issued a Show Cause Notice for compliance of all above deficiencies with in 15 days from the issue of this letter. In the event of non - compliance of above deficiencies with in stipulated period, your institute shall be placed in the "No Admission" category for the session 2008-09. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-  
Additional Director  
For Director Technical Education  
Haryana, Chandigarh.

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-  
Joint Director  
For Director Technical Education  
Haryana, Chandigarh.