

From

The Director
Technical Education Haryana,
SCO 38-39, Sector 17-A,
Chandigarh.

To

The Principal
Jind Polytechnic College,
1st Mile Stone, Panipat Road,
Jind.

Memo No. 1223-24 /Poly.
Dated Chandigarh the:22.5.08

Subject: Extension of approval for the academic session 2008-09.

Regarding the subject mentioned above, it is informed that State Level Committee in its meeting held on 16.5.08 has decided as under:-

“Extension for the academic session 2008-09 approved for 4 courses only namely ECE, CE, ELE. and Accounts & Audit with intake of 60 each subject to compliance of deficiencies of inspection conducted on 4.5.2008 (mentioned below) within 15 days.”

- 1 The institute requires Boundary Wall and main gates along road sides.
- 2 The workshop needs to be provided with requisite electric connections.
- 3 Good building of workshop is required to be provided by the institute along with its furnishing.
- 4 The flooring of Library needs immediate repair.
- 5 The Building of W/Shop is not compact & needs proper plastering & flooring.
- 6 The faculty were appointed on fixed salary.

In the event of non - compliance of above deficiencies with in stipulated period, the extension for the session 2008-09 shall not be applicable. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh.

From

The Director
Technical Education Haryana,
SCO 38-39, Sector 17-A,
Chandigarh.

To

The Principal
Swami Vivekanand Technological Institution,
Vill.Hundewala, Opposite Sector 18,
HUDA Jagadhri

Memo No.1229-30 /Poly.
Dated Chandigarh the:22.5.08

Subject: Extension of approval for the academic session 2008-09.

Regarding the subject mentioned above, it is informed that State Level Committee in its meeting held on 16.5.08 has decided as under:-

“Extension for the academic session 2008-09 approved for 3 courses only namely ECE, ELE and Business Admn. with intake of 60 each subject to compliance of deficiencies of inspection conducted on 4.4.2008 (mentioned below) within 15 days.”

- 1 Nursing equipments were available in the building, Library books of nursing was seen, practical note books were seen- so sharing of facility could not be ruled out.
- 2 The building plan was got approved not for polytechnic. 2160 books were available, accession registered not properly maintained.
- 3 Only 9 Computers installed + 16 packed.
- 4 On the day of inspection labs, W/Shops etc were not proper. As per the undertaking of Director all physics, Chemistry lab equipments & furniture & construction of W/Shop & Purchase of equipment & making these functional in one month.
- 5 Building area is less than the required.
- 6 There should be a clear demarcation of boundary between this Institute & another applied Institute (this year). This should be supported by Akash Shizra & master plan.

In the event of non - compliance of above deficiencies with in stipulated period, the extension for the session 2008-09 shall not be applicable. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh.

From

The Director
Technical Education Haryana,
SCO 38-39, Sector 17-A,
Chandigarh.

To

The Principal
Guru Nanak Polytechnic College,
Tohana

Memo No.1227-28 /Poly.
Dated Chandigarh the:22.5.08

Subject: Extension of approval for the academic session 2008-09.

Regarding the subject mentioned above, it is informed that State Level Committee in its meeting held on 16.5.08 has decided as under:-

“Extension for the academic session 2008-09 approved for all 3 courses namely ECE, CE and Accounts & Audit with intake of 60 each subject to compliance of deficiencies of inspection conducted on 4.5.2008 (mentioned below) within 15 days.”

- 1 Boundary wall is not completed.
- 2 The Administrative Block was in finishing stage which should be at once completed & furnished.
- 3 The white wash / painting were in progress, so some equipments / computers were disconnected. The earlier equipments need to be connected & installed & intimated by Institute to Department before admission.
- 4 Proper all weather approach road should be constructed in campus by the Institute.
- 5 The feed back from the present faculty members revealed that AICTE pay scale are not paid to them & salary is being paid in cash.

In the event of non - compliance of above deficiencies with in stipulated period, the extension for the session 2008-09 shall not be applicable. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh.

From

The Director
Technical Education Haryana,
SCO 38-39, Sector 17-A,
Chandigarh.

To

The Principal
Tagore Institute of Research & Technology,
Jamalpur, Gurgaon

Memo No. 1225-26 /Poly.
Dated Chandigarh the: 22.5.08

Subject: Extension of approval for the academic session 2008-09.

Regarding the subject mentioned above, it is informed that State Level Committee in its meeting held on 16.5.08 has decided as under:-

“Extension for the academic session 2008-09 approved for all 5 courses namely ECE,CE,ME,Auto and Accounts & Audit with intake of 60 each subject to compliance of deficiencies of inspection conducted on 3.4.2008 (mentioned below) within 15 days.”

- 1 5 Persons indicated in the support staff list were not actually present.
- 2 Number of books-Details not mentioned.
- 3 Labs, Library needs removal of partition wall. Equipments need proper Installation. W/shop needs more equipments & their proper installation.
- 4 Library needs more titles & ref. books as well as journals, internet facilities.
- 5 Labs, W/shops need more experimental sets i.e. min 4 sets for conductance of practicals.
- 6 All weather approach Road & its CLU is to be shown.
- 7 Boundary wall not provided so the sharing could not be ascertained.
- 8 Principal who was said to be identified was not present

In the event of non - compliance of above deficiencies with in stipulated period, the extension for the session 2008-09 shall not be applicable. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh.

From

The Director
Technical Education Haryana,
SCO 38-39, Sector 17-A,
Chandigarh.

To

The Principal
Green Wood Polytechnic, Meerut
Highway Road, Vill. Ranwar,
Karnal

Memo No.1219-20 /Poly.
Dated Chandigarh the: 22.5.08

Subject: Extension of approval for the academic session 2008-09.

Regarding the subject mentioned above, it is informed that State Level Committee in its meeting held on 16.5.08 has decided as under:-

“Extension for the academic session 2008-09 approved for all 5 courses namely ECE,CE,ME,ELE. and Accounts & Audit with intake of 60 each subject to compliance of deficiencies of inspection conducted on 5.4.2008 (mentioned below)& production of master plan within 15 days.”

- 1 To provide different gate and boundary for B. Ed & JBT etc running in the same boundary and other building.
- 2 Faculty was not available.
- 3 The equipment was required to be installed properly.
- 4 40 P-4 Computers available and not yet installed.
- 5 2050 books were available.
- 6 As per certificate of president the equipments for labs & W/Shop have been ordered & partly procured.
- 7 The class rooms and labs as well as W/Shop needs to be provided as per AICTE norms.
- 8 Clear demarcation between polytechnic & other Non AICTE courses.

In the event of non - compliance of above deficiencies with in stipulated period, the extension for the session 2008-09 shall not be applicable. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh.

From

The Director
Technical Education Haryana,
SCO 38-39, Sector 17-A,
Chandigarh.

To

The Principal
BCM Polytechnic, Village Raiya,
Jhajjar

Memo No. 1217-18 /Poly.
Dated Chandigarh the 22.5.08

Subject: Extension of approval for the academic session 2008-09.

Regarding the subject mentioned above, it is informed that State Level Committee in its meeting held on 16.5.08 has decided as under:-

“Extension for the academic session 2008-09 approved for all 3 courses namely ECE,CE and Accounts & Audit with intake of 60 each subject to compliance of deficiencies of inspection conducted on 3.4.2008 (mentioned below) within 15 days.”

- 1 More faculty yet to be identified.
- 2 Technical support staff not yet identified.
- 3 Proper labs need to be provided.
- 4 Equipments not installed.
- 5 Furniture not provided in labs and workshop.
- 6 1800 books were available in the library only.
- 7 20 P-4 Computers installed + 30 Computer Packed.
- 8 Building construction to take 1st year classes were in progress. The shuttering of slabs 1st floor was in progress.
- 9 Physics, Chemistry, Computer, Elect labs needs to be more furnished and well equipped.
- 10 Library is to be furnished properly.
- 11 More equipment in W/shop is required to be purchased / installed.
- 12 Boundary should be provided.
- 13 Institute should provide good aesthetics

In the event of non - compliance of above deficiencies with in stipulated period, the extension for the session 2008-09 shall not be applicable. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh.

From

The Director
Technical Education Haryana,
SCO 38-39, Sector 17-A,
Chandigarh.

To

The Principal
Shivalik Polytechnic, Village Kalasar,
Tehsil Chhachhrauli,
Distt. Yamuna Nagar.

Memo No. 1221-22 /Poly.
Dated Chandigarh the: 22.5.08

Subject: Extension of approval for the academic session 2008-09.

Regarding the subject mentioned above, it is informed that State Level Committee in its meeting held on 16.5.08 has decided as under:-

“ Extension for the academic session 2008-09 approved for all 3 courses namely ECE,CE and Business Administration (Insurance & Banking)with intake of 60 each subject to compliance of deficiencies of inspection conducted on 4.4.2008 (mentioned below)& removal of present boundary wall lying in the boundary of about 3000 sqm within 15 days.”

- 1 Appointment letters not given. Pay scales not mentioned in the appointment letters.
- 2 The less equipment was available and that too was packed.
- 3 45 HCL P-4 Computers available. Not installed on LAN.
- 4 1400 Books available, no proper accession register maintained.
- 5 Building is lying in boundary of about 3000 sqm & balance land is used for agriculture purpose of which students can not take advantage.
- 6 The undertaking of Chairman reveals that the Labs / workshop & installation of furniture / equipments work be completed latest by 20/04/2008.
- 7 The Building area is not complete as on date.
- 8 Complete 5 acres land not placed at the disposal of students.
- 9 Furniture & equipments not made available in working condition.
- 10 Building not providing good ambience of a polytechnic.

In the event of non - compliance of above deficiencies with in stipulated period, the extension for the session 2008-09 shall not be applicable. The liability arising out of such action will be the sole responsibility of management of the institution.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh

Endst.

/Poly.

Dated:

A copy of the above is forwarded to Regional Officer, AICTE Regional Office, Sector 42-B, Chandigarh for information & necessary action.

Sd/-
Joint Director
For Director Technical Education
Haryana, Chandigarh.